

JA-SERIES TROWEL— SPECIFICATIONS (ENGINES)

Table 2. Specifications (Engines)

	Model	HONDA GX160K1QA2	ROBIN EH17-2	BRIGGS & STRATTON INTEK I/C 1114000
Engine	Type	Air-cooled 4 stroke, Single Cylinder, OHV, Horizontal Shaft Gasoline Engine	Air-cooled 4 stroke, Single Cylinder, OHV, Horizontal Shaft Gasoline Engine	Air-cooled 4 stroke, Single Cylinder, OHV, Horizontal Shaft Gasoline Engine
	Bore X Stroke	2.7 in. X 1.8 in. (68 mm x 45 mm)	2.64 in. x 1.93 in. (67 mm x 49 mm)	2.69 in. x 2.04 in. (68.3 mm x 51.8 mm)
	Displacement	9.9 cu. in. (163 cc)	10.50 cu. in. (172 cc)	11.57 cu. in. (190 cc)
	Max Output	5.5 H.P./4000 rpm	6.0 H.P./4000 rpm	5.5 H.P./4000 R.P.M
	Fuel Tank Capacity	0.95 U.S. Gallons (3.6 Liters)	0.95 U.S. Gallons (3.6 Liters)	0.75 U.S. Gallons (2.84 Liters)
	Fuel	Unleaded Automobile Gasoline	Unleaded Automobile Gasoline	Unleaded Automobile Gasoline
	Lube Oil Capacity	0.63 qt. (0.6 liter)	0.68 qt. (0.65 liter)	0.63 qt. (0.6 liter)
	Speed Control Method	Centrifugal Fly-weight Type	Centrifugal Fly-weight Type	Centrifugal Fly-weight Type
	Starting Method	Recoil Start	Recoil Start	Recoil Start
	Dimension (L x W x H)	12.3 x 14.3 X 13.2 in. (312 X 362 X 335 mm)	12.09 x 13.98 X 14.96 in. (307 X 355 X 380 mm)	15.56 x 10.01 X 15.19 in. (395 X 254 X 386 mm)
Dry Net Weight	40.8 lbs (15.0 Kg.)	35.3 lbs (16 Kg.)	31.25 lbs (14.17 Kg.)	

Table 3. Specifications (Trowel Weights)

MODEL	POWER SOURCE	OPERATING WEIGHT	SHIPPING WEIGHT
JA-45-H	5.5 HP Honda	154 lbs. (70 kg.)	194 lbs. (88 kg.)
JA-45-BS	5.5 HP Briggs and Stratton	145 lbs. (65.8 kg.)	187 lbs. (84.8 kg.)
JA-46-R	6 HP Robin	151 lbs. (68.5 kg.)	192 lbs. (87 kg.)
JA-46-RM	6 HP Robin, Manual Clutch	151 lbs. (68.5 kg.)	192 lbs. (87 kg.)
JA-45-HM	5.5 HP Honda, Manual Clutch	154 lbs. (70 kg.)	194 lbs. (88 kg.)